

Alt vi har

Alt vi har ?

Daemons

Oversikt

Miljø	Jobber
UiO	216
UiA	64
HiØF	49
NMH	37
NIH	35
ØFK	25
TSD	21
WebID	7

Database

Modul	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
ad_attributes		✓	✓	✓			?	
bofhd_requests	✓	✓	✓	✓	✓	✓	✓	✓
consent	✓						?	
disk_quota	✓	✓					?	
distribution_group	✓	✓					?	
dns	✓						✓	
email	✓	✓	✓		✓	✓		?
employment		✓	✓	✓	✓			?

Modul	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
ephorte	✓						?	
eventlog	✓	✓					?	
events	✓						?	
feide_service	✓	✓					?	
gpg	✓						?	
hostpolicy	✓						✓	
mount_host	✓						?	
note		✓					?	

Modul	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
virtual_group_ou	✓							
virtualgroup		✓						
voip		✓						

Studentautomatikk

FS

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
fnr-update	✓	✓	✓	✓	✓			
import-ou		✓	✓	✓	✓			
import-fs	✓	✓	✓	✓	✓			
process-students	✓	✓	✓	✓	✓			
mailaddr-update	✓	✓	✓	✓	✓			

ABC

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
abc-import						✓		
process-entity						✓		

Ansattautomatikk

DFØ-SAP

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
import-sap-ou-id	✓	✓	✓	✓				
import-sap-person	✓	✓	✓	✓				
process-sap-affiliations	✓	✓	✓	✓				
import-sap-utvalg				✓				

UiO-SAP

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
import-ou	✓							
bas2sap		✓						

Gruppeautomatikk

Studentautomatikk

Batch-oppdatering, grupper fra konfigurasjon, data fra FS-import.

populate-collection-groups

Batch-oppdatering, affiliation-type → gruppe

populate-automatic-groups

Batch-oppdatering av gruppehierarki, f.eks. ansatt-[sko], meta-ansatt-[sko]
(UiO, UiA, HiØF)

create-ougroups/update-ou-group-changes

Lager virtuelle grupper som alltid er oppdatert ihht affiliations, resultat ligner populate-automatic-groups

populate-fronter-groups

Batch-oppdatering av fronter-grupper, urn-navn

Varsler

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
Velkomst-sms	✓	✓	✓		✓	✓		
passordbytte- epost	✓	✓	✓	✓	✓			
passordbytte- sms	✓			✓	✓			

Vedlikehold

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
file-clean	✓	✓	✓	✓				
db-clean	✓	✓				✓		
remove-person-info	✓	✓	✓	✓	✓			
quarantine-accounts	✓		✓			✓		
deactivate-quarantine-accounts	✓	(✓)	✓			✓		

LDAP

Miljø Synk

UiO Feide, posix, maildb, kurs, automount, voip, randsone, host/dns, ...

UiA Feide, posix, maildb, radius

HiØF Feide, brukere, grupper

NMH Feide

NIH Feide

ØFK Feide

TSD

WebID brukere

Active Directory

Miljø Synk

UiO user, group, passwd, xpand, consent, consent-quick

UiA user, group, passwd, guest-user, guest-passwd-quicksync

HiØF user, group, passwd, process_ad_attrs, process_ad_spreads

NMH user, group, passwd

NIH user, group, passwd, distgroup

ØFK user, group, passwd

TSD user, netgroup, filegroup, passwd, host, host-policy

WebID

Eksporter

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
CRISTIN	✓					✓		
ephorte		✓						
hr2fs	✓	✓	✓					
ABC		✓	✓	✓	✓	✓		
eValg	✓	✓	✓	✓				

Fildatabaser for NIS/NSS

Navn	UiO	UiA	HiØF	NMH	NIH	ØFK	TSD	WebID
generate- passwd	3	1						
generate-groups	6	2						

Rapporter

- weekly-invoice (alle)
- generate-changelog-stats (hiof, nih, nmh, uio)
- quarantine-users-report (nih, nmh)
- report-new-persons (hiof)
- report-new-persons (uio)
- report-name-diff (nmh)
- report-mismatched-users (nmh)
- daily-user-report (ofk)
- accounts-wo-mail-spread (uio)
- accounts-wo-primary-mailaddr (uio)
- active-accounts-report (uio)
- inactive-employee-affs (uio)
- generate-quarantine-report (uio)

- report-employees-on-student-disk (uios)
- fagperson csv/html (uios)
- accounts-wo-affs (uios)
- gjesteforskere (uios)
- ous-wo-maildomain (uios)
- export quaranties (uios) - radius-quarantine
- users-per-ou (uios)
- ansattnr (uios)
- generate-accounts-with-group-owner (uios)
- exchange-state-verification (uios)
- isf-spread-report (uios)